ci ✓

Journal of NUCLEAR ENERGY

U. of ILL. LIBRARY
APR 14 1970
CHICAGO CIRCLE

EDITOR-IN-CHIEF

J. V. DUNWORTH, C.B.E.: *National Physical Laboratory, Teddington, Middx.*

EXECUTIVE EDITORS

D. J. LITTLER: *Central Electricity Generating Board, Grindall House, 25 Newgate Street, London E.C.1*

R. L. MURRAY: *Department of Nuclear Engineering, North Carolina State University, Raleigh, N.C. 27607, U.S.A.*

VOLUME 23

1969

PERGAMON PRESS
OXFORD · LONDON · NEW YORK · PARIS

NOTES FOR CONTRIBUTORS

I—GENERAL

1. Papers from authors in the United States should be submitted to the American Editor—Dr. R. L. Murray. Papers from authors in other countries should be submitted to the English Editor—Dr. D. J. Littler. All papers should be concerned with original work in the field of nuclear energy. Progress reports and reviews which satisfy the Editors' standards of scientific worth and topicality will be accepted for publication.

2. Fifty free reprints of each paper are supplied. Additional copies can be supplied at a reasonable cost provided they are ordered when the page proofs are returned. A reprint order form will accompany proofs.

II—SCRIPT REQUIREMENTS

1. Scripts should be typewritten on one side of the paper only, and double-spaced. Submission of three copies of the manuscript will expedite review. It will be appreciated if authors will make clear any Greek characters which may be confused with ordinary letters or with other characters. **The name and full mailing address of the author to whom proofs are to be despatched should be given on the title page of the manuscript. The publisher should be notified of any subsequent change of address.** Authors will receive page proofs of their article for correction, together with proofs of any figures which the paper may contain. It is requested that authors check their proofs very carefully and return the corrected set with the minimum of delay to the publisher. **Any substantial alterations, other than printer's errors may be charged to the author.**

2. Original illustrations, plus photocopies or other reproductions should accompany the manuscript separately, and legends should also be typed on a separate sheet. It is requested that photographs should be kept to the minimum necessary. Line drawings that require to be re-drawn should include all relevant details. If these are already well drawn it may be possible to reproduce them direct from the original, but in this case it is essential that the original drawings or good photo-prints should be provided. Any lettering on diagrams—other than Greek letters, symbols etc.—should be stencilled and should be sufficiently large and bold to permit reproduction when the diagram has been reduced to a size suitable for appearance in the journal. It is not possible to reproduce from 'dye-line' prints, or from prints with weak lines. Illustrations for reproduction should normally be about twice the final size required.

3. References to published literature should be quoted in the text as follows: Smith (1950)—the date of publication, in parentheses, following the author's name. References should be listed together at the end of each paper and not given as footnotes. They should be arranged in alphabetical order (first author's surname) to appear as follows:

Fermi E. and Marshall L. (1947) *Phys. Rev.* **72,** 1139.
Warner R. K. (1954) *Chem. Engng Sci.* **3,** 77.

It is particularly requested that (*a*) author's initials and (*b*) the volume or part numbers and page numbers are given in every case. Abbreviations of periodicals should be in accordance with the 4th edition of the *World List of Scientific Periodicals.*

4. The text of articles submitted should be concise and in a readily understandable style. The technical description of the methods used should only be given in detail when such methods are new. The essential contents of each paper should be briefly recapitulated in an abstract. French and German papers should be submitted with English abstracts and titles.

5. To conserve space, authors are requested to mark appropriate portions of the paper (such as description of methods, record of experimental results, etc.) for printing in smaller type.

Publishing Office: 84–86 *Malahide Road, Coolock, Dublin* 5 (Dublin 311111)
Annual subscription: for libraries, research establishments and all other multiple-reader institutions £24 ($60) *including postage; private individuals, whose departmental libraries subscribe, may obtain this Journal for their personal use at a reduced rate of* £10 10*s* ($30) *per annum including postage*
Subscriptions should be sent to: Pergamon Press Ltd., Headington Hill Hall, Oxford OX3 0BW
Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, N.Y. 10523
Back issues available—write for Back Issues Price List
Published monthly

Copyright © 1969 Pergamon Press Ltd.

PERGAMON PRESS LTD.

HEADINGTON HILL HALL, OXFORD OX3 0BW
4/5 FITZROY SQUARE, LONDON W.1
MAXWELL HOUSE, FAIRVIEW PARK, ELMSFORD, N.Y. 10523
24 RUE DES ECOLES, PARIS V^e

PRINTED IN NORTHERN IRELAND AT THE UNIVERSITIES PRESS, BELFAST

LIST OF CONTENTS

NUMBER 1

M. G. Silk and B. O. Wade: Diffusion and absorption parameters of heavy water . . 1
J. Wood: An interpretation of the neutron wave experiment 17
N. N. Hanna and M. J. Harris: Neutron thermalization measurements in graphite . . 29
J. L. Hesse, J. M. Beeston and C. Q. Ford: An investigation of the impact properties of irradiated beryllium 39

Letter to the Editors

L. Turi and M. M. R. Williams: Neutron flux perturbations in foils 49

Book Review 51

NUMBER 2

R. C. Erdmann: On the consistency of certain approximate solutions to the transport equation 53
H. Kschwendt: Error estimation for time-dependent Monte Carlo leakage spectra . . 67
A. McNair, F. J. Bannister, R. L. G. Keith and H. W. Wilson: A measurement of the energy released as kinetic energy of β-particles emitted in the radioactive decay of the fission products of ^{235}U 73
E. E. Lewis: A polynomial approximation for integral transport calculations . . . 87
Hideaki Nishihara and Akira Ohtsubo: Measurement of temperature noise in an out-of-pile heat transfer loop 99

Letter to the Editors

M. Hussain, R. Chaudhuri, M. Enayetullah and E. Islam: Total neutron cross-section of Gd for 16–19 MeV neutrons 113

NUMBER 3

J. H. Warner, Jr. and R. C. Erdmann: Infinite medium neutron wave propagation—I. Theory 117
J. H. Warner, Jr. and R. C. Erdmann: Infinite medium neutron wave propagation—II. Numerical results for water and graphite 135
P. R. Barrett and J. J. Thompson: Stochastic models of power reactor dynamics . . 147
F. Conti, G. Maracci and F. Rustichelli: Influence of the void on spectral indices and fast fission ratio in heavy water lattices 157
M. Obeid and A. C. Lapsley: Determination of the lumped heat-transfer and reactivity coefficients of a research reactor 171

Letter to the Editors

R. Girgis, G. Karchava and I. Hamouda: On reflector spectrum calculation . . 183

Book Reviews 185

NUMBER 4

K. Makino and Y. Fukai: Calculation of reactivity worth of a control rod array . . 187
J. C. Robertson, T. B. Ryves, E. J. Axton, I. Goodier and A. Williams: A measurement of the radiative capture cross section of gold at an energy of 966 keV 205
J. Wood: The dependence of neutron wave parameters in polycrystalline moderators on the phonon frequency spectrum 211
F. Sefidvash and P. J. Grant: The thermalization and diffusion of neutrons in polyphenyls 225
I. R. Birss: Calculation of relative displacement damage rates in differing reactor types 239

NUMBER 5

L. R. Oyola and R. A. Lee: HCl radiolysis in a nuclear reactor 251
M. Soleilhac, J. Frehaut and J. Gauriau: Energy dependence of $\bar{\nu}_p$ for neutron-induced fission of ^{235}U, ^{238}U and ^{239}Pu from 1·3 to 15 MeV 257

C. M. FLECK and CHRISTINE NUNWARZ: Determination of diffusion parameters in lead with thermal neutron pulses 283
W. ROTTER: Interpretation of pulsed source measurements by the moments method . . 289
R. A. VAUGHAN: Stability of a pulsed fast reactor 299

Letters to the Editors

R. OBERPARLEITER and F. BENSCH: The fabrication of boron trioxide discs of well defined thickness 305
F. SEFIDVASH: The sensitivity of a neutron scattering model to the mode parameters. . 306
M. G. SILK: The energy spectrum of the gamma radiation in the DAPHNE core . . 308

NUMBER 6

P. AZZONI, A. CARPENÈ, L. DE CECCO and J. RANDLES: A contribution to the theory of uncontrolled prompt critical excursions in liquid metal cooled fast reactors . . . 315
T. W. ARMSTRONG and P. N. STEVENS: A V° importance function for the Monte Carlo calculation of the deep penetration of gamma rays 331
M. LEMANSKA, Y. ILAMED and S. YIFTAH: The theory of a one-dimensional bare reactor, treated by the lie series method 361

Letters to the Editors

M. G. SILK and B. O. WADE: D_2O absorption cross-section 369
E. MIGNECO, J. THEOBALD and H. WEIGMANN: Analysis of Nd neutron resonances . . 369
B. VOLMERANGE and M. CADILHAC: A new theoretical approach to the determination of fast neutron spectra 371

Book Review 375

Announcement 377

NUMBER 7

A. M. BRESESTI, M. BRESESTI and H. NEUMANN: A method for absolute determination of ^{238}U capture rates 379
R. S. WICK: Hydro-elastic behavior of multiple-plate fuel-assemblies—I. Pressure wave propagation 387
R. S. WICK: Hydro-elastic behavior of multiple-plate fuel-assemblies—II. Hydrostatic divergence 407
J. K. VAURIO and P. JAUHO: Stochastic properties of nuclear reactors in a two-group model 419

Letters to the Editors

J. K. VAURIO: Fast fissions in nuclear reactor noise 435
N. K. BANSAL, A. K. GHATAK and F. AHMED: Neutron wave propagation through graphite 439

NUMBER 8

N. D. DUDEY, R. R. HEINRICH and A. A. MADSON: Fast neutron capture by vanadium and titanium 443
E. J. AXTON, A. G. BARDELL and B. N. AUDRIC: A technique for the absolute counting of nuclear fission events 457
A. GANDINI, M. SALVATORES and G. SENA: Use of generalized perturbation methods for optimization of reactor design 469
S. PAHOR and J. K. SHULTIS: Half-space general multigroup transport theory . . . 477
W. S. CLOUGH: The partition of iodine between liquid sodium and the gas phase at 500°C 495

NUMBER 9

S. K. TRIKHA, L. S. KOTHARI and I. C. GOYAL: Neutron diffusion across a medium discontinuity 505
M. F. JAMES: Energy released in fission 517
F. BENSCH and F. VESELY: Yields and spectra of some spherical photo-neutron sources . . 537
A. A. ABDEL-RASSOUL, H. R. HIGGY and F. H. HAMMAD: Decladding of nuclear fuel by rolling-straightener technique 551
Y. LEHRER-ILAMED: On the value function for multicomponent isotope separation . . 559

NUMBER 10

W. H. Kohler: Reactivity feedback with short delay times 569
J. S. Cassell and M. M. R. Williams: Space dependent noise spectra via the transport equation 575
H. Mizuta and Y. Fukai: Geometrical effects on ^{238}U resonance integral for various systems 589
J. Peter and H. Schumacher: The gamma-spectrometric determination of ^{241}Pu/^{239}Pu ratios and its application to fuel burn-up 617

Letter to the Editors

M. G. Silk and B. O. Wade: The absorption cross-section of deuterium . . . 625

Book Review 631

NUMBERS 11 & 12

M. M. R. Williams: Probability distributions in simple neutronic systems via the Fokker–Planck equation. 633
R. Paviotti Corcuera and R. Solanilla: Operator formulation of resonance absorption of neutrons 643
R. L. Bowden and A. G. Bullard: Numerical solution of the neutron transport equation 655
G. Tuck: Critical masses of spherical and hemispherical enriched uranium assemblies . . 663
R. L. Stover and A. Sesonske: Optimization of BWR fuel management using an accelerated exhaustive search algorithm 673
J. R. Fagan and A. Sesonske: Optimal fuel replacement in reactivity limited systems . . 683
A. McNair and R. L. G. Keith: A measurement of the β decay energy from the fission products of ^{239}Pu 697
J. B. Hunt, J. C. Robertson and T. B. Ryves: A measurement of the thermal neutron radiative capture cross section of ^{238}U 705
N. J. Freeman, J. F. Barry and N. L. Campbell: The (n, α) cross sections for natural nickel, iron, chromium and molybdenum in a fission neutron spectrum 713